

LUXURY



LUXURY



LUXURY / CALACATTA p.6



LUXURY / MARFIL p.12



LUXURY / AMANI BRONZE p.26



LUXURY / NERO MARQUINA p.34



LUXURY / AMANI GREY p.20

colors/matte & polished


LUXURY / CALACATTA




LUXURY / MARFIL




LUXURY / AMANI BRONZE



LUXURY / AMANI GREY




LUXURY / NERO MARQUINA



Luxury, by Milestone,
embodies the idea of a fresh
and flawless look on porcelain tile.





This collection was created to capture a timeless look in your residential or commercial space. The classic color options mixed with a **contemporary touch** provide an aesthetically pleasing & **design driven** look.



LUXURY / CALACATTA







LUXURY / **MARFIL**





12"x24". 24"x24" / MARFIL



Marfil's warm inviting hues are the embodiment of style & sophistication. Bringing a coziness to what could otherwise be a cold commercial space.





LUXURY / **AMANI GREY**





Luxury's Amani Grey is easily the most versatile color in the collection. The neutrality of this warm gray brings it effortlessly into any design scheme.




LUXURY / **AMANI BRONZE**









LUXURY / **NERO MARQUINA**







SIZES & SHADE VARIATION

sizes:

3"x12" Listello
Rectified/Polished



1099596 Calacatta
1099564 Nero Marquina
1099593 Amani Grey
1099595 Amani Bronze
1099594 Marfil

12"x12" Rectified/Matte



1105234 Calacatta
1105233 Nero Marquina
1105246 Amani Grey
1105248 Amani Bronze
1105247 Marfil

12"x12" Rectified/Polished



1105231 Calacatta
1105230 Nero Marquina
1105243 Amani Grey
1105245 Amani Bronze
1105244 Marfil

12"x24" Rectified/Matte



1100473 Calacatta
1100474 Nero Marquina
1100470 Amani Grey
1100472 Amani Bronze
1100471 Marfil

12"x24" Rectified/Polished




1096648 Calacatta
1099551 Nero Marquina
1096645 Amani Grey
1096647 Amani Bronze
1096646 Marfil

24"x24" Rectified/Matte



1100468 Calacatta
1100469 Nero Marquina
1100465 Amani Grey
1100467 Amani Bronze
1100466 Marfil

24"x24" Rectified/Polished



1099982 Calacatta
1099983 Nero Marquina
1099979 Amani Grey
1099981 Amani Bronze
1099980 Marfil

24"x48" Rectified/Matte



1101396 Calacatta
1101402 Nero Marquina
1101322 Amani Grey
1101393 Amani Bronze
1101399 Marfil

24"x48" Rectified/Polished



1101356 Calacatta
1101390 Nero Marquina
1101325 Amani Grey
1101384 Amani Bronze
1101387 Marfil

mosaics & trim pieces:

9"x11" Hexagon Mosaic
(12 dot)



1099587 Calacatta
1099565 Nero Marquina
1099584 Amani Grey
1099586 Amani Bronze
1099585 Marfil

9"x11" Hexagon Mosaic
(12 dot) Rectified/Polished



1099591 Calacatta
1099566 Nero Marquina
1099588 Amani Grey
1099590 Amani Bronze
1099589 Marfil

3"x12" Bullnose




1099583 Calacatta
1099563 Nero Marquina
1099580 Amani Grey
1099582 Amani Bronze
1099581 Marfil

3"x12" Bullnose Polished




1099926 Calacatta
1099927 Nero Marquina
1099923 Amani Grey
1099925 Amani Bronze
1099924 Marfil

Colors shown may vary from actual product.
Final selection should be made from actual product samples.



V1

UNIFORM APPEARANCE
Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION
Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION
While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4


SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



24"x24" / NERO MARQUINA . CALACATTA

Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.
Este producto cumple o excede todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	







• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.

Green Memberships & Accreditations

DESCRIPTION	
	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA sources >95% raw material within a 500 mile radius, which results in a smaller carbon footprint.
	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious.
	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, MILE[®]stone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices. Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

MILE[®]stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.



MADE IN THE USA



300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

